



Preparedness Health Education Series (PHES): Readying Bystanders to Intervene in Medical Crisis

Caitlyn Horton December 8, 2021









RUTGERS

Institute for Women's Leadership

The Leadership Scholars Certificate Program is a two-year selective, interdisciplinary certificate program that prepares Rutgers undergraduate women to be informed, innovative, and socially responsible leaders.

Leadership Scholars design and implement social action projects to expand their understanding of issues and problems and to develop leadership skills.

This project gives Scholars the opportunity to apply the theoretical knowledge they have gained about leadership, advocacy, and social change with the practical and experiential knowledge they have developed about a particular policy issue or problem through the field site placement. It also further develops leadership skills by giving undergraduates the opportunity to *practice* leadership *through* action.

To find out more please visit the Institute for Women's Leadership's website at http://iwl.rutgers.edu.



preparedness in medical crisis through various

health education workshops

The Need for PHES:

- Four public health epidemics (Mental Health/Suicide, Gun Violence, Cardiac Events, and Opioid Overdose) account for nearly ⅓ of all deaths¹ in the United States
- In many cases, trained bystanders can intervene in crisis to perform live-saving actions until medical attention can be sought





PHES Partners & Funders



Institute for Women's Leadership





Naloxone Training Mental Health
First Aid Training

Severe Bleeding Response

CPR Session



Prescription Drug Abuse and Overprescription Awareness (PDAOA)



Mental Health Association in New Jersey, Inc.

kate spade new york



American Red Cross

Dr. Jewel Plummer-Cobb

S.T.E.A.M. Women's

Empowerment Conference



1.....

FOUNDATION

The Douglass WiSE Program

More to come soon...





PHES & Feminist Leadership

(

- Project designed in a multidisciplinary approach combining Women & Gender Studies, Public Health, Psychology, Education, and more
- Researched each training and medical crisis through a gendered lens
- Registration into each program gave preference to women and nonbinary individuals
- Women and nonbinary individuals deserve and require the opportunity to learn these life-saving skills







Naloxone Training

 Teaches how to react in an overdose situation, administer Naloxone (an opioid-overdose reversal agent), and perform rescue breaths

 Provides participation certificate, two doses of Naloxone, gloves, and a CPR shield

 Gendered Lens: women are more likely to carry Naloxone kits²

• Results:

 >140 students interacting; 30 students trained in Naloxone administration

Participants -> 80% Non-men

Images from RWJMS presentation, Narcan.com





Mental Health First Aid Training

- Trains students how to identify and respond to mental illness and Substance-Use Disorders
- Students receive a **certificate** in Mental Health First Aid
- Gendered Lens: Women are more likely to be diagnosed with a mental illness.3 Women are more likely to recognize mental illness in a peer.4
- Results
 - Nearly 100 interested women; 25 enrolled in training



The course will teach you how to apply the ALGEE action plan:

- Assess for risk of suicide or harm.
- Listen nonjudgmentally.
- Give reassurance and information.
- Encourage appropriate professional help.
- Encourage self-help and other support strategies.









Severe Bleeding Training

- Trains students how to identify severe bleeding situations and take action to stop the flow of blood
- Gendered Lens: Women with severe bleeding injuries are more likely to also be diagnosed with a mental illness ⁵
- Goal: Train 14 individuals





CPR Session

- Trains students how to clear airways, perform CPR, use an automated external defibrillator (modeled after Hero in 30)
- Gendered Lens: women are less likely to receive bystander CPR⁶
- Talks being held to hold session at the Dr. Jewel Plummer Cobb S.T.E.A.M. Women's Empowerment Conference in March and potentially collaborate with Rutgers MedicOne

hand placement & position

ADULTS

CHILDREN 1 - 8

INFANTS







BOTH HANDS interlocked between nipples

ONE HAND between nipples

TWO FINGERS just below nipple line







chest compressions



2 inches





2 inches



1.5 inches

30 compressions at 100 - 120 compressions per minute allow chest to recoil between compressions Immediately follow with rescue breaths



PHES Outreach Timeline

Aug 2020 - Apr 2021

May - Aug 2021

Sept - Oct 2021

Nov 2021

Dec 2021

Initial

Reach out to partners Reach out to Partners

Reach out to Partners Hold

Naloxone

Training

Health First Aid

Hold Mental

Ideation

Preparedness Health

Education Series

(PHES)

Schedule + Market Naloxone Training

Hold +

Schedule +

Market

Naloxone

Trainings

Schedule + Market Mental Health First Aid

Outline Severe Bleeding Response Market + Hold Severe **Bleeding**

Plan CPR Session





What's Next For PHES?



December 3

Mental Health First Aid Training is Complete


Severe Bleeding
Response Program is
Complete





Late March

CPR Education Session
Potentially at a Women's
Empowerment
Conference







Building on PHES

- Collaborate with more student
 organizations and reach out to
 departments for additional funding and
 support
 - Demonstrated interest in PHES
- Incorporate additional trainings, i.e VPVA
 Bystander Prevention







Reflecting on PHES

- Lessons learned
 - Constant and consistent communication
 - Adaptability
 - Utilizing networks
- How I've used my trainings in the past







Acknowledgements

Mary O'Dowd, M.P.H - for her amazing advice and guidance on PHES programming

Ruth Kaluski, Marilyn Feliciano, Sharon Gbadamosi, & Carolyn Bazan with MHANJ- for their guidance and facilitation for Mental Health First Aid Training

Queenie Reda, M.S.W., L.S.W., L.C.A.D.C, & Shanice Johnson, M.P.H- for their communication, flexibility, and facilitation for Naloxone Training events Rutgers Prescription Drug Abuse and Overprescription Awareness- for their partnership and enthusiasm at Naloxone Training Events

Tatyana Aguilar- for their incredible support in marketing Naloxone events

Everyone within the Institute for Women's Leadership, without which this project would not be possible, especially Sasha Taner and Professor Mary

Trigg, and all of the spectacularly talented Leadership Scholars who inspire me and my project to be better every day







Works Cited

- ³American Psychological Association. (2011, August 18). *Study finds sex differences in mental illness* [Press release]. http://www.apa.org/news/press/releases/2011/08/mental-illness
- ⁵ Christina L. Jacovides, Brandon Bruns, Daniel N. Holena, Carrie A. Sims, Douglas J. Wiebe, Patrick M. Reilly, Jose L. Pascual, Penetrating trauma in urban women: patterns of injury and violence, Journal of Surgical Research, Volume 184, Issue 1, 2013, Pages 592-598, ISSN 0022-4804, https://doi.org/10.1016/j.jss.2013.06.026.
- ⁴ Davies, Wardlaw, J., Morriss, R., & Glazebrook, C. (2016). An experimental study exploring the impact of vignette gender on the quality of university students' mental health first aid for peers with symptoms of depression. BMC Public Health, 16(1), 187–187. https://doi.org/10.1186/s12889-016-2887-2
- ²Khatiwoda, P., Proeschold-Bell, R. J., Meade, C. S., Park, L. P., & Proescholdbell, S. (2018). Facilitators and barriers to naloxone kit use among opioid-dependent patients enrolled in medication assisted therapy clinics in North Carolina. *North Carolina Medical Journal*, 79(3), 149–155. https://doi.org/10.18043/ncm.79.3.149
- ⁶Perman, Shelton, S. K., Knoepke, C., Rappaport, K., Matlock, D. D., Adelgais, K., Havranek, E. P., & Daugherty, S. L. (2019). Public Perceptions on Why Women Receive Less Bystander Cardiopulmonary Resuscitation Than Men in Out-of-Hospital Cardiac Arrest. Circulation (New York, N.Y.), 139(8), 1060–1068. https://doi.org/10.1161/CIRCULATIONAHA.118.037692
- ¹Xu, J., Murphy, S., Arias, E., & Kochanek, K. (2021). Deaths: Final data for 2019, 70(8). https://doi.org/10.15620/cdc:106058